

| ROFILES and GUIDES | | | | TECHNICAL DATA SHEET |
|---|--------------------------|------------|--------|--|
| CODE ES53 | ТҮРЕ | | TYPE | K8 TR |
| | | | | |
| DESCRIPTION | | | | |
| Profiles mainly fitted on conveyor be | elts as guides. | | | |
| TECHNICAL SPECIFICATIONS | | | | COMPLIANCES |
| Material | Polyvinyl chloride (PVC) | | | REACH EC 1907/2006 Regulation and Amendments FDA (Food and Drug Administration) |
| Hardness | | 60 ±5 3 | Sh.A | |
| Colour | | Transpa | rent | |
| Base | | Groc | oved | |
| B Upper base | 8.0 mm | 0.31 | in. | |
| b Bottom base | 5.0 mm | 0.20 | in. | |
| H Height | 5.0 mm | 0.20 | in. | Hot air welding High frequency welding |
| Weight | 38 gr/m | 0.034 | oz/in. | right frequency weighing |
| Minimum pitch | | | | |
| longitudinal transversal | 40 mm 40 mm | 1.6 1.6 | | NOTES |
| Minimum pulley diameters ⁽¹⁾ | | | | |
| Iongitudinal-driving side | 30 mm | 1.2 | in. | |
| Iongitudinal-conveying side | 50 mm | 2.0 | in. | |
| transversal-conveying side ⁽¹⁾ Minimum pulley diameters referred to environ | mm | 0°C | in. | |
| Temperature min | -10 °C | 14 | °F | |
| resistance ⁽²⁾ max | c 60 °C | 140 | °F | |
| ⁽²⁾ Use with limit values may reduce its life | 200.0 | 004.5 | | |
| Roll/bar sizes | 300.0 m | 984.0 | ft | |
| Issue: 22-01-2020 | | | | Last Update: 22-01-2020 |

DISCLAIMER The information contained in this document describes the features of the CHIORINO product as tested in a laboratory environment at a temperature of +23 degrees °C at 50% relative humidity. It does not necessarily reflect the conditions of industrial use and it does not guarantee the product to be suitable for certain applications. The client remains liable for the proper selection and correct use of the CHIORINO product. CHIORINO cannot be held responsible should damages arise from the use of its products. Necessary alterations to this data can be made without prior notice.

CHIORINO S.p.A. - VIA S. AGATA, 9 - 13900 BIELLA - ITALIA - P.O.B. 460 - TEL. +39-015-8489.1 - FAX +39-015.8489161 chiorino@chiorino.com