

PROFILES and GUIDES

TECHNICAL DATA SHEET

T40 U blue DET ES803 CODE **TYPE**

DESCRIPTION

Polyurethane lateral profile, straight.



COMPLIANCES

REACH EC 1907/2006 Regulation and Amendments EC 1935/2004 Regulation and Amendments EC 2023/2006 Regulation and Amendments EU 10/2011, 2023/1442 Regulation and Amendments HACCP (Hazard Analysis and Critical Control Points) FDA (Food and Drug Administration) NSF/ANSI 3-A 14159-3-2014 Regulation and Amendments





METHOD OF APPLICATION

HALAL (World Halal Authority)

- High frequency welding

NOTES

| TECHNICAL SPECIFICATION | ONS | | | | |
|--|-----------|--------------------|----------|-------|--------|
| Material | | Polyurethane (TPU) | | | |
| Hardness | | | | 85 ±5 | Sh.A |
| Colour | | | | Dark | blue |
| Base | | | | | Flat |
| B Upper base | | 10.0 | mm | 0.39 | in. |
| b Bottom base | | | mm | | in. |
| H Height | | 40.0 | mm | 1.57 | in. |
| Weight | | 172 | gr/m | 0.153 | oz/in. |
| Minimum pitch | | | | | |
| longitudinal | | | mm | | in. |
| ■ transversal | | 45 | mm | 1.8 | in. |
| Minimum pulley diameters | (1) | | | | |
| longitudinal-driving side | | | mm | | in. |
| ■ longitudinal-conveying side | | | mm | | in. |
| ■ transversal-conveying side | | 60 | mm | 2.4 | in. |
| (1) Minimum pulley diameters referred to | environme | ent condition | ons of 2 | 0°C | |
| Temperature | min. | -20 | °C | -4 | °F |
| resistance ⁽²⁾ | max | 70 | °C | 158 | ۰F |
| (2) Use with limit values may reduce its I | ife | | | | |
| Roll/bar sizes | | 2.4 | m | 7.9 | ft |

Issue: 22-01-2020 Last Update: 31-08-2020

DISCLAIMER
The information contained in this document describes the features of the CHIORINO product as tested in a laboratory environment at a temperature of +23 degrees °C at 50% relative humidity. It does not necessarily reflect the conditions of industrial use and it does not guarantee the product to be suitable for certain applications. The client remains liable for the proper selection and correct use of the CHIORINO product. CHIORINO cannot be held responsible should damages arise from the use of its products. Necessary alterations to this data can be made without prior notice.