

ROFILES and GUIDES					TECHNICAL DAT	
CODE ES141			TYPE	T2	0 RF	
DESCRIPTION						
PVC lateral profile, straight flat b	ase withou	t groove.				
TECHNICAL SPECIFICATIONS				COMPLIANCES		
Material	Polyvinyl o	hloride (F	PVC)	EACH EC 1907/2006 Regulation	on and Ame	
Hardness		60 ±5	Sh.A			
Colour		G	reen			
Base			Flat			
3 Upper base	20.0 mm	0.79	in.			
o Bottom base	mm		in.			
1 Height	20.0 mm	0.79	in.	High frequency welding Hot air welding		
Veight	221 gr/i	m 0.196		Hot an weiding		
1inimum pitch				10770		
longitudinal transversal	mm 50 mm		in.	NOTES		
1 nimum pulley diameters ⁽¹⁾						
longitudinal-driving side	mm		in.			
longitudinal-conveying side	mm		in.			
transversal-conveying side ¹⁾ Minimum pulley diameters referred to environn	80 mm		in.			
Temperature min.	-10 °C	14	°F			
resistance ⁽²⁾ max	60 °C	140	°F			
²⁾ Use with limit values may reduce its life						
Roll/bar sizes	2.4 m	7.9	ft			

DISCLAIMER The information contained in this document describes the features of the CHIORINO product as tested in a laboratory environment at a temperature of +23 degrees °C at 50% relative humidity. It does not necessarily reflect the conditions of industrial use and it does not guarantee the product to be suitable for certain applications. The client remains liable for the proper selection and correct use of the CHIORINO product. CHIORINO cannot be held responsible should damages arise from the use of its products. Necessary alterations to this data can be made without prior notice.

CHIORINO S.p.A. - VIA S. AGATA, 9 - 13900 BIELLA - ITALIA - P.O.B. 460 - TEL. +39-015-8489.1 - FAX +39-015.8489161 chiorino@chiorino.com - www.chiorino.com