

TEXGUM" ROLLER COVERINGS						TECHNICAL DATA SHEE	
CODE TX73	3				ТҮРЕ	PV7 ve	
STRUCTURE							
						COM.	
xternal covering						A State of the second	
Material	Polyvin	yl chloride (P	VC)			Participant and a second second	
Surface pattern							
Special execution							
Colour	Green						
lardness	45 ±5 S	Sh.A					
Textile carcass						~~~~~	
Material	Polyest	er (PET)					
TECHNICAL SPEC	IFICATION	S			AD	HESIVES	
Total thickness		1.9 mm	0.07	in.		lue the covering to the roller it is recomme e single-component adhesive TEXCOL CHI0	
Weight		2.0 kg/m^2	0.41	lbs./sq.ft			
Tensile strength		66 N/mm	377	lbs./in.	EE	ATURES	
Temperature	min	0 °C	32	°F	_	d adhesion	
resistance (1)	ma>	60 °C	140	°F		ed resistance to oils	
(1) Use of the roller co	overing with	n limit values m	ay reduc	e its life			
ROLL SIZES							
Length		115 m	4528	in.		MPLIANCES	
Width (2)		50 mm	2	in.	REACH	Regulation EC 1907/2006 and amendmer	
\-/		70 mm	_	in.			
(2) Other widths upon	request						
SUITABLE FOR						ITES	
Textile: rolling mac	hine				Self-a	dhesive/A version available	

The information contained in this document describes the features of the Chiorino product as tested in a laboratory environment at a temperature of +23 degrees °C at 50% relative humidity. It does not necessarily reflect the conditions of industrial use and it does not guarantee the product to be suitable for certain applications. The client remains liable for the proper selection and correct use of the Chiorino product. Chiorino cannot be held responsible should damages arise from the use of its products. Necessary alterations to this data can be made without prior notice.