


CHIORINO[®]
1906

Passion for belting

Thermoplastic machine tapes for the Paper and Printing industry

Partner
for excellence in paper converting




PT[®]



Thermoplastic machine tapes

PT® **Fast Joint** machine tapes in thermoplastic materials are designed to offer excellent performances, total reliability and extremely rapid replacement in the Paper and Printing sector:

- **Paper processing**
- **Rotary and commercial printing**
- **Folding and binding industry**



PT® Machine tapes features

Paper processing

- Excellent resistance to abrasion
- Optimal coefficient of friction and optimal traction of any type of paper
- They do not mark the paper
- High mechanical resistance

Printing industry

- Maximum feed precision of any type of paper
- Extremely high resistance to chemicals and printing inks
- Suitable to high speeds
- Excellent resistance to abrasion

Fast Joint

With the Chiorino **FAST JOINT** equipment, PT® belts can be made endless on site in a few minutes, reducing the maintenance time.



Technical data

Code	Type	Traction core	Top side		Bottom side		Permanent antistatic	Total thickness	Weight	Minimum diameter ¹	Pull for 1% elongation	Max. admissible pull	Min. temperature resistance	Max. temperature resistance	Top side coefficient of friction ²	Paper processing		Printing industry		
																Cutters	Ream packaging	Rotо-offset /rotogravure folders	Sheet print feeding	Book and manual binding
CG-187	PT0.9 0-0	PET-PA	-	●	-	●	✓	0.9	0.9	10	5	10	-20	+100	LF			✓		
CG-197	PT0.9 0-0 N	PET-PA	-	●	-	●	✓	0.9	0.9	10	5	10	-20	+100	LF			✓		
NA-1034	PT1.0 0-U4	PET	TPU	●	-	●	✓	1.0	1.0	10	5	5	-20	+100	HF	✓	✓		✓	✓
NA-1111	PT1.0 U1-U3	PET	TPU	●	TPU	●	✓	1.0	1.1	10	5	5	-20	+100	HF	✓	✓		✓	✓
NA-1029	PT1.2 U2-U5	PET	TPU	●	TPU	●	✓	1.2	1.3	20	5	5	-20	+100	HF	✓	✓		✓	✓
NA-1110	PT1.2 0-U2	PET	TPU	●	-	○	✓	1.2	1.3	20	6	12	-20	+100	HF	✓	✓		✓	✓
NA-1178	PT1.4 G3-G3	PET	SR	●	SR	●	✓	1.4	1.6	15	6	6	-20	+100	HF	✓	✓		✓	✓
NA-1120	PT1.5 0-G3 FL	PET	SR	●	-	●	✓	1.5	1.8	25	6	12	-20	+100	MF	✓				✓
NA-1151	PT1.8 0-0	PA	-	●	-	●	✓	1.8	1.8	20	9	16	-20	+100	LF			✓		
NA-1024	PT1.8 G1-0	PA	-	○	SR	●	✓	1.8	1.8	20	9	16	-20	+100	LF			✓		

Elastic belts

NA-1177	PT1.4 EL G3-G3 FL	---	SR	●	SR	●	✓	1.4	1.5	15	2.5 ³	2.5	-10	+60	HF				✓	✓
NA-1176	PT1.4 EL G3-G3 SK	---	SR	●	SR	●	✓	1.4	1.5	15	2.5 ³	2.5	-10	+60	HF				✓	✓

¹ Minimum roller diameter depends on the joint recommended by Chiorino.


The technical data are valid under normal environmental conditions

² Top side coefficient of friction: **LF** low, **MF** medium, **HF** high

and are subject to change without notice.

³ EL series belts: pull for 8% elongation.

KEY



PET-PA = polyester-polyamide TPU = thermoplastic, polyurethane SR = synthetic elastomer

With the FAST JOINT KIT Chiorino machine tapes series PT® can be made endless on site in a few minutes, reducing the maintenance time.

Advantages

- Ease of use do-it-yourself
- Fast execution
- High accuracy
- No use of adhesives



Kit Fast Joint P50 FJ

Press with two heated platens, suitable for splicing Chiorino thermoplastic conveyor and transmission belts, that are max. 40 mm wide and 3 mm thick.

TECHNICAL DATA

Plates sizes (w x l)	50 x 50 mm
Press weight	1.4 kg
Holding plates	2 (20 and 25 mm)
Fastening clamps	2
Cooling clamp	1



Kit Fast Joint P120 FJ

Press with two heated platens, suitable for splicing Chiorino thermoplastic conveyor and transmission belts, that are max. 80 mm wide and 6 mm thick.


TECHNICAL DATA

Plates sizes (w x l)	100 x 140 mm
Press weight	4 kg
Holding plate	2 (30 and 35 mm)
Fastening clamps	2
Cooling clamp	1




PT[®] Machine tapes benefits

Resistance to abrasion (Taber Test)



Life time




Results from testing in the paper and printing industry (end users)

PT[®] thermoplastic belts with CHIO-TPE[™] intermediate layer


Reduced energy consumption

Chiorino PT[®] machine tapes consume less energy compared with competitor thermoplastic belts, thanks to the highly flexible CHIO-TPE[™] intermediate layer.



High temperature resistance

Chiorino PT[®] machine tapes provide a higher temperature resistance compared with competitor thermoplastic belts, thanks to the unique CHIO-TPE[™] intermediate layer.



Reliable FASTJOINT

The FAST JOINT technology in combination with the new CHIO-TPE[™] intermediate layer, enables easy on-site joining, high reliability and long service life.

Fast Joint

Optimized cost of ownership

The benefits of the PT[®] machine tapes translate into a remarkable **Time, Energy and Maintenance saving** for the end user.



CHIORINO AFFILIATED COMPANIES

America

CHIORINO AMERICA
Newark, DE
Tel. +1-302-292-1906
info@chiorino.us
www.chiorino.us

Australia

CHIORINO AUSTRALIA PTY. LTD.
Brisbane
Tel. +61-7-3274 1900
sales@chiorino.com.au
www.chiorino.com.au

Benelux

CHIORINO BENELUX B.V.
Utrecht, - The Netherlands
Tel. +31-30-2413060
chiorino@chiorino.nl
www.chiorino.nl

Byelorussia

CHIORINO-K
Minsk
Tel. +375-17-2804578
general@chiorino.ru
www.chiorino.ru

China

CHIORINO ASIA Ltd.
Hong Kong
Tel. +852-397-10818
info@chiorino.asia
www.chiorino.asia

CHIORINO LIAISON OFFICE

Shanghai
Tel. +86-21-37831019
info@chiorino.cn
www.chiorino.cn

France

CHIORINO SAS
Lagny, Paris
Tel. +33-1-64304075
chiorino.paris@chiorino.fr
www.chiorino.fr

Germany

CHIORINO GmbH
Mainz
Tel. +49-(0)6131-55449-0
info@chiorino.de
www.chiorino.de

Hungary

CHIORINO Kft.
Szigetszentmiklós, Budapest
Tel. +36-24525930
mail@chiorino.hu
www.chiorino.hu

India

CHIORINO INDIA
Salcete Goa
Tel. +918-322-782454
info@chiorino.in
www.chiorino.in

Italy

CHIORINO PARMA s.r.l.
Parma
Tel. +39-0521-292236
chiorinoparma@chiorino.com

CHIORINO VENETO s.r.l.

Colle Umberto (TV)
Tel. +39-0438-430460
chiorinoveneto@chiorino.com

Poland

CHIORINO Sp. z o.o.
Bydgoszcz
Tel. +48-(0)52-3487708
chiorino@chiorino.com.pl
www.chiorino.com.pl

Portugal

CHIORINO PORTUGAL, LDA
Alfena Valongo, Porto
Tel. +351-229684442
geral@chiorino.pt
www.chiorino.pt

Romania

CHIORINO srl
Cluj Napoca
Tel. +40-264-432977
chiorino@chiorino.ro
www.chiorino.ro

South Africa

CHIORINO SOUTH AFRICA (PTY) LTD.
Johannesburg
Tel. +27-11-3971268
sales@chiorino.co.za
www.chiorino.com

Spain

CHIORINO IBERICA S.A.
Rubí, Barcelona
Tel. +34-93-5860480
chiorino@chiorino.es
www.chiorino.es

Switzerland

CHIORINO SCHWEIZ GmbH
Wetzikon
Tel. +41-(0)43-3116001
info@chiorino.ch
www.chiorino.ch

United Kingdom

CHIORINO U.K. Ltd.
Featherstone
Tel. +44-1977-691880
sales@chiorino.co.uk
www.chiorino.co.uk

CHIORINO DISTRIBUTORS

Albania
Argentina
Armenia
Austria
Azerbaijan
Bangladesh
Belgium
Bolivia
Bosnia-Herzegovina
Botswana
Brazil
Bulgaria
Cambodia
Canada
Chile
Colombia
Costa Rica
Croatia
Cyprus
Czech Republic
Denmark
Egypt
Estonia
Fiji
Finland
Georgia
Greece
Guatemala
Honduras
Iceland
Indonesia
Iran
Ireland
Israel
Ivory Coast
Jordan
Kazakhstan
Kenya
Kirgyzstan
Laos
Latvia
Lebanon
Lithuania
Macedonia
Malawi
Malaysia
Mexico
Moldova
Morocco
Myanmar
New Caledonia
New Zealand
Nicaragua
Pakistan
Panama
Papua New Guinea
Paraguay
Peru
Russia
Saudi Arabia
Serbia
Slovak Republic
Slovenia
South Korea
Sri Lanka
Sweden
Tadjikistan
Thailand
Turkey
Turkmenistan
Ukraine
United Arab Emirates
Uzbekistan
Vietnam
Yemen
Zimbabwe

HEADQUARTERS AND PRODUCTION PLANTS

CHIORINO S.p.A.

Via S. Agata, 9
I-13900 Biella, Italy
Tel. +39 015 8489 1
Fax +39 015 849 61 61
chiorino@chiorino.com
www.chiorino.com

UNI EN ISO 9001:2015
UNI EN ISO 14001:2015
OHSAS 18001:2007
EMAS



ENGINEERING ADVICE
ON-SITE INSTALLATION SERVICE
AFTER SALES SUPPORT

